

**A**

**acceptsFirstResponder** 181  
 accessing  
   data 84  
   information 56–??  
 accessor method 49, 85, 86, 87, 192  
   implementing 122  
   retaining object 176  
 action 38, 41, 80, 99, 130, 182  
   connecting 46  
   defining 40, 43  
   implementing 137  
   setting programmatically 133  
 adding  
   action 43  
   application icon 75  
   menu item 72  
   outlet 43  
   submenu 72  
**addObject:** 159  
**addTimeInterval:** 161  
 alignment 33  
   of text 30  
 Alignment command 33  
**alloc** 112, 210  
**AnalyzeAllocation** command 221  
 animation 37  
 Apple events 9  
 application 157  
   attributes 75, 122  
   behavior 36  
   creating 22  
   design 187  
   icon 75  
   launch behavior 150  
   multi-document 115, 138, 139  
**NSApplication** 168  
   possibilities 37  
   resources 126, 139  
   standard features 36  
   start-up routine 122

application controller 116, 126, 138, 139, 199  
 application controller, *See also* controller object  
 Application Kit 8, 62, 149, 169, 181, 188  
 application wrapper 53, 106, 122, 126  
**applicationShouldTerminate:** 106, 150, 157  
 architecture 53  
**archiveRootObject:toFile:** 106, 147  
 archiving 80, 86, 104, 106, 124, 147  
 argument 206  
 array 158  
**arrayWithObject:** 145  
 ASCII 83  
 assembler 221  
 assigning the class 171  
 attention panel 197  
 attribute, setting 172  
 Attributes display 30  
 autorelease  
   mechanism 88  
   pool 88, 89  
**autorelease** 87, 88, 89, 90, 112  
 auxiliary nib file 126, 139  
**awakeFromNib** 52, 133, 164

**B**

background color 30  
 base coordinate system 27, 148  
 Blue Box 9  
   communication with Yellow Box 9  
 bounds 188  
 box object 32, 67, 172  
 browser 69  
 Build panel 54  
   building a project 53, 54  
     and errors 55  
 bundle 106, 126  
   accessing resources 191  
   loadable 126  
   main 126  
 button 31, 95

- and images 71, 130  
custom 190  
state 190  
switch 65, 179  
types 65
- C**
- C language 53  
C++ 53  
calendar format 133  
category 131, 216  
**cc** 53, 221  
cell 41, 107  
    enabling and disabling 135  
    highlighting 135  
    installing 195  
    prototype 132  
    setting state 193  
    setting title 135  
**cellAtIndex:** 92, 94  
**cellAtRow:column:** 179  
**cellWithTag:** 137  
class 39  
    adding to project 191  
    and object creation 210  
    assigning in Interface Builder 171  
    creating 212, 213  
    definition 128, 210, 213  
    principal 122  
    relation to object 39  
    reusing 77  
    specifying 38, 76  
    testing membership in 123, 160  
class hierarchy 212  
class method 49  
class object 210  
Close command 146  
closing a document 146  
coding 104  
collection classes 86  
color 222
- Color panel 30  
column identifier 68  
columns, of objects 33  
**compare:** 97  
compiler 53  
**compositeToPoint:operation:** 189  
compositing images 181, 188, 189  
connecting objects 45  
    direction of 41  
Connections display 34, 45  
**containsObject:** 177  
content area 152, 153  
content view 27, 152, 153, 177  
    box 172, 173  
    replacing 177  
contents of nib file 25  
**contentView** 153, 187  
context-sensitive Help 56  
control object 38, 41, 107  
**control:isValidObject:** 187  
controller object 20, 63  
    application 116  
    document 116  
**controlTextDidChange:** 149  
**controlTextDidEndEditing:** 159–161, 184, 185  
coordinate system 27, 148, 153, 188  
    flipping 188  
**copy** 87, 89, 112  
copying objects 29, 123  
    and reference count 89  
**copyWithZone:** 123  
core operating system 8  
core program framework 152–153, 187  
coverage 189  
creating  
    class 38  
    custom view object 181  
    document 143  
    form 66  
    object 210  
    panel 172

- currentEvent** 153  
**custom palette** 209  
**custom view** 117  
  and Interface Builder 129  
**customizing menus** 72  
**CustomView object** 181
- D**
- data**
- at port 168
  - mediating 94
  - serializing 104
  - storage 84
  - synchronizing displays of 185, 186
- data encapsulation** 29, 205  
**data source** 63, 68, 97  
**DataViews palette** 68, 73  
**date** 132  
  date and time 133, 137  
    creating object 134  
    formatting 134  
**date formatter** 174  
**dateWithYear:month:day:hour:minute:second:timeZone:** 137  
**day of the week** 134  
**dealloc** 89, 90, 108, 124  
**deallocation** 84, 85, 88–89, 90, 108, 112, 124, 212  
**debugger** 112  
**debugging** 124  
**declaration** 49, 142  
  method 50, 120  
**deep copy** 123  
**defaults** 221  
**delegate** 41, 80, 100, 106, 136, 139, 152, 153, 162, 169  
  method implemented by 68, 116, 149, 183  
**delegatee** 153  
**delegation** 63, 100, 157  
**delimiter checking** 93  
**description** 124  
**descriptionWithCalendarFormat:timeZone:locale:** 162  
**design,hierarchical** 213
- determining class membership** 209  
**dictionary** 63, 106  
**display** 177, 181, 188  
  Display PostScript 27, 122, 189  
  framework 8  
**displays, synchronizing** 186  
**document** 115, 139  
  and nib file 139  
  closing 146  
  creating 143  
  default 150  
  icon 118  
  initial values 186  
  management 37  
  marking as edited 147, 149  
  opening 145  
  saving 146, 156, 157  
  setting type of 118  
**document controller** 116, 126, 138, 139, 140  
**document controller**, *See also* controller object  
**Document menu** 138  
  Interface Builder 116  
**document type** 118  
**documentation** 56  
  reference 56  
**drag-and-drop** 28, 37  
**drawing** 37, 152, 153, 181, 188–189  
  functions 189  
**drawRect:** 181, 188  
**duplicating object** 29  
**dynamic binding** 49, 97, 208–209  
**dynamic loading** 126  
**dynamic typing** 40, 49, 209
- E**
- editable text** 30  
**Emacs key bindings** 93  
**enableDoubleReleaseCheck:** 112  
**encapsulation** 29, 205  
**encodeObject:** 91  
**encodeValueOfObjectType:at:** 91

**encodeWithCoder:** 86, 91, 104, 124

Enterprise Objects Framework 68

entity object 89

**enum** constant 92

EOModeler 209

event 27, 168–169, 198

and custom NSView 181

dispatching 152, 169

handling 152, 181

keyboard 169

message 152

event cycle 168–169

event queue 169

extensibility 213

extension, file 118

## F

fat files 53

field, formatting 187

file

extension 118

management 37

opening 145

saving 146–147

type 145

file descriptor 168, 198

file formats 8

file package 53

File's Owner 79, 126

FileMerge application 220

finding information 56

first responder 152, 169

**firstResponder** 153

focusing 188

font 222

setting 137

Font panel 31

Font submenu 36

form 66

formatter 37, 107

applying in Interface Builder 73

date 174

number 73

setting 187

Foundation framework 8, 84

frame 188

framework 53, 126, 220

Foundation 84

frameworks

core 8

function 125

## G

**gdb** 112, 124, 221

generating

instances 78

source-code files 48, 82

generating code files 119

**gnumake** 221

Graphics APIs 8

grid, aligning on 33

grouping methods 216

grouping objects 67

## H

header file 48, 50, 214

Help 37, 56, 96, 138

hierarchical data 69

hierarchy

of classes 212

## I

icon

application 75

document 118

icon mode (Interface Builder) 78

**id** 38, 209

identifier, column 68

image

adding to button 130

adding to interface 71

compositing 189

image view 71  
implementation file 48, 51, 214  
importing header files 52  
incremental search 96  
indentation 93  
Info panel 138, 199  
informal protocol 97, 131, 136  
inheritance 39, 211, 213  
  advantage of 213  
**init** 90, 108, 124, 210  
initialization 85, 90, 108, 124, 132, 212  
  default 90  
initializing text 28  
**initWithCoder:** 86, 91, 104, 124  
**initWithFrame:** 132, 181  
input source 198  
inspector panel 26, 172  
  creating 172  
  display of 173, 174  
  managing 172  
instance 39, 210  
  generating 44  
instance method 49  
instance variable 100, 119, 205, 211, 214  
  declaring 83, 119, 213  
  inheriting 211  
  scope 49  
  setting 89  
Instantiate command 44, 78  
interface 24  
  creating with Interface Builder 24–35  
  testing 35, 36, 75  
Interface Builder 24, 107, 210  
  and custom NSView 181  
  inspector 26  
  palettes 28  
interface file 214  
  Objective-C 50  
internationalization 83  
introspection 209, 212  
**invalidate** 122, 196  
**isDocumentEdited:** 156, 160  
**isEqual:** 123  
**isEqualToString:** 160  
**isKindOfClass:** 123, 160

## J

Java  
  packages 9  
  virtual machine 9

## K

key 63, 158  
key alternative 101  
key window 27, 169  
keyboard event 168, 169  
**keyWindow** 153  
keyword 49, 90, 206

## L

label 30  
library 53  
line, creating in Interface Builder 32  
link editor 53  
linking 53  
**lipo** command 221  
**loadNibName:** 144  
localization, and nib files 71  
**localTimeZone** 132

## M

Mac OS compatibility 9  
Mach 8  
Macintosh  
  look and feel 9  
main bundle 126  
main menu 138  
main nib file 24, 122  
main window 27, 146, 169  
**main()** 23, 122  
**mainMenu** 153

**mainWindow** 146, 153  
**Makefile** 53  
**makeFirstResponder:** 156, 162, 169  
**makeKeyAndOrderFront:** 52  
making a connection 46  
MallocDebug application 220  
matrix 132  
    and tabbing 141  
menu 27, 72  
    customizing 138  
    Document 116  
Menus palette 72, 116  
message 49, 52, 206, 214  
    action 41  
    nesting 49, 52, 206  
method 29, 49, 119, 205  
    accessor 49, 85, 86  
    class 49  
    declaring 50, 85, 120, 213  
    delegation 80, 116, 136, 149, 159, 162, 183  
    difference from function 208  
    extending 214  
    inheriting 211  
    instance 49  
    invoking the superclass 171  
    overriding 170, 192, 212, 214  
    private 193  
    syntax 214  
model object 20, 62, 158  
Model-View-Controller paradigm 20, 62, 127  
modifier key 168  
modularity 29, 206  
mouse click, simulating 146  
mouse event 168  
**mouseDown:** 170, 181  
multi-document application 115, 138  
    design 139  
**mutableCopy** 112

**N**

name completion 93

nesting messages 52  
New command 139, 143  
NeXT  
    publications 56  
next responder 152, 169  
**nextKeyView** 35, 36, 74  
NEXTSTEP 8  
nib file 23, 25, 199, 210  
    and localization 71  
    auxiliary 79, 126, 139  
    creating 172  
    document 126  
    loading 122, 144  
    main 24, 122  
    sound and images 71  
**nibTool** 221  
**nil** 49, 90, 159  
**nm** command 221  
notification 63, 100, 185, 186, 196  
    adding an observer 108  
    advantages 187  
    identifying 170  
    posting 171  
notification center 100  
notification queue 100  
**NSActionCell** 107  
**NSApp** 80, 122, 146, 153, 169  
**NSApplication** 27, 122, 152, 153, 169  
**NSApplicationMain()** 122  
**NSArchiver** 104, 106  
**NSArray** 84, 86, 97, 123  
**NSBox** 172, 187  
**NSBrowser** 153  
**NSBundle** 106, 108, 126, 191  
**NSButtonCell** 132, 161, 190, 191  
**NSCalendarDate** 132  
**NSCell** 107  
**NSCoder** 104  
    `NSCoding` protocol 104, 119  
**NSCompositingOperation** 189  
**NSConnection** 198

NSControl 107, 127, 132, 169  
NSCopying protocol 119, 123  
NSCountedSet 86  
NSData 84, 189  
NSDate 107, 132, 191, 197  
NSDateFormatter 107, 187  
NSDictionary 63, 84, 86, 106, 108  
    inserting objects 163  
NSEvent 168  
NSEventType 168  
NSFormatter 107  
**NSHomeDirectory()** 147  
NSImage 189, 191  
NSImageRep 189  
NSImageView 71  
NSMatrix 127, 132  
NSMutableArray 63, 117  
NSMutableDictionary 63  
NSMutableString 83  
NSNotification 100, 109, 185  
NSNotificationCenter 100, 109, 185  
NSNumber 84, 107  
NSObject 38, 84, 89, 131, 212  
NSOpenPanel 145  
NSProcessInfo 84  
NSResponder 127, 152, 168, 169  
**NSRunAlertPanel()** 105, 156  
NSRunLoop 122, 198  
NSSavePanel 147  
NSSet 86  
NSString 83, 84, 97  
NSTableColumn 68  
NSTableDataSource 97  
NSTableView 68, 97  
NSText 95  
NSTextFieldCell 94  
NSThread 84  
NSTimeInterval  
NSTimer 122, 196, 198  
NSTimeZone 132  
NSUnarchiver 104  
NSUserDefaults 150  
NSValue 84  
NSView 127, 132, 148, 152, 153, 169, 188, 213  
    custom 181  
    focusing 188  
NSWindow 27, 146, 152, 153, 168, 169  
number formatter 73  
**numberOfRowsInTableView:** 98

**O**

object 39  
    aligning 33  
    allocation 84  
    analog to 205  
    and dynamic binding 209  
    and name space 208  
    archiving 86, 147, 163  
    array 117  
    attribute 172  
    box 32, 67, 172, 177  
    button 31  
    class membership 209  
    communication 197  
    comparison 123  
    connecting 40, 45, 46  
    controller 20, 63  
    copying 29, 123  
    creation 210  
    deallocation 84, 85, 90, 112, 124  
    definition 205  
    dictionary 63  
    disposal 88, 89  
    duplicating 29  
    dynamic typing 38  
    entity 89  
    form 66  
    formatter 187  
    initialization 85, 90, 108, 124  
    initializing text 28  
    inspector 172  
    interface 29, 206

- introspection 209
  - matrix 117, 132, 141
  - model 20, 62
  - ownership policy 84, 88, 89
  - placing 28
  - pop-up list 179
  - putting in NSDictionary 163
  - relation to class 39
  - resizing 28
  - retaining 88, 187
  - retention 89
  - scroll view 68
  - sizing 28
  - text 67, 184
  - text field 183, 184
  - unarchiving 144
  - value 89
  - view 117, 127
  - objectAtIndex:** 145, 160
  - objectForKey:**
    - 103
  - objectForKey:** 63, 164
  - Objective-C 53, 205, 206, 209, 211, 214, 216
    - header file 50
    - summary 49
  - object-oriented program 207
    - design 20
  - object-oriented programming 204
  - objects
    - connecting 41, 78
    - grouping 67, 173, 174
    - making same size 29
    - sharing 176
  - observer 100
  - oh** command 112, 221
  - Open command 139, 145
  - Open panel 116, 139, 145
  - opening a document 145
  - openPanel** 145
  - OPENSTEP
    - application 36, 37
  - OpenStep 8
  - development applications 220
  - OpenStep frameworks 8
  - operating system
    - core 8
  - origin point 148
  - outlet 35, 38, 76, 79, 130
    - connecting 45
    - defining 40, 42, 43
  - outline mode 78
  - overriding a method 170, 190, 192, 212, 214
    - invoking superclass 171
  - ownership, of objects 88
- P**
- palette 28, 126, 222
  - panel 27
    - creating 172
    - inspector 173, 174
    - off-screen 173, 174
  - pasteboard 37
  - pathForImageResource:** 191
  - performClose:** 146
  - periodic event 168
  - persistence 91
  - placing objects 28
  - plug-and-play 37
  - po** command 124
  - polymorphism 49, 97, 208, 214
  - pop-up list 27
  - posting, a notification 100
  - PostScript 168, 188
    - and drawing 189
  - Preferences panel 138, 200
  - principal class 122
  - print:** 74
  - printing 37, 74
  - procedural programming 204
  - procedures 204
  - program development
    - command-line tools 221

---

resources 222  
 program,object-oriented 207  
 project 22  
     adding class to 119  
     building 54  
     directory 22  
 project browser 23  
 Project Builder 126  
     checking delimiters 93  
     indentation 93  
     launching 22  
 Project Find panel 56  
 protocol 216  
     adopting 86, 119  
     informal 131  
**pswrap** 181, 189, 221  
**putCell:atRow:column:** 195

**R**

radio mode 132  
 receiver 52, 206  
 reference documentation 56  
**release** 89, 90, 112  
**removeFromSuperview** 187  
**replaceObjectAtIndex:withObject:** 160  
**representedFilename** 145  
 resizing  
     view object 28  
     window 26  
 resource  
     for programming 222  
 resources, application 191  
 responder chain 152, 169  
 retain  
     and content view 177  
**retain** 87, 89, 112, 176  
 retaining object  
     implications of 89  
 reusing object 77  
 Rhapsody 8  
     and Power PC 9

architecture 9  
 supported platforms 9  
 user experience 9  
 root class 212  
 root object 84, 104, 106  
 rows, of objects 33  
**runModalForDirectory:file:types:** 145

**S**

Same Size command 29  
 Sampler application 220  
 Save command 139, 146  
 Save panel 116, 139, 147  
**savePanel** 147  
 saving a document 146, 156  
 screen, coordinate system 148  
 scroll view 68  
 scrolling 188  
 selectable text 30  
**selectedCell** 137  
**selectedRow** 101  
**selectText:** 52, 94  
**self** 49, 214  
 sender 52  
 services 37  
**setAutosizesCells:** 133  
**setContentView:** 177  
**setDataSource:** 97  
**setDocumentEdited:** 147, 149  
**setFormatter:** 107, 187  
 **setFrameOrigin:** 188  
 **setFrameSize:** 188  
**setImage:** 161  
 **setObject:forKey:** 163  
 **setState:** 65, 95  
 **setString:** 95  
 **setStringValue:** 94  
 **setTarget:** 169  
 setting the font 31, 137  
 **setTitle:** 144, 161

**setTitleWithRepresentedFilename:** 144  
shallow copy 123  
**sharedApplication** 122  
sizing objects 29  
**sortedArrayUsingSelector:** 97  
sound 222  
Sound Kit 220  
source-code files  
  generating 48, 82, 119  
specialization 213  
standard window 27  
**startTrackingAt:inView:** 194  
**state** 65  
static typing 49  
**stopTracking:at:inView:mouselsUp:** 194  
string object  
  and character strings 83  
  empty 90  
**stringValue** 95  
**strip** command 221  
subclass 39, 211, 212  
  creating 38, 170, 190, 213  
  custom view 181  
Subclass command 76  
subview 67, 153, 177  
**Subview** 177  
**Subviews** 153  
suitcase 23  
**super** 49, 90, 132, 214  
superclass 38, 39, 76, 127, 170, 211, 212  
  accessor method 192  
superview 67, 153, 169  
**Superview** 153  
switch 65, 95, 179

## T

tabbing, between fields 34  
table view 63, 68, 97  
  configuring 69  
**tableView:objectValueForTableColumn:row:** 98

**tableView:setObjectValue:forTableColumn:row:** 98  
TabulationViews palette 68  
tag 131, 132, 135, 177, 179  
**tag** 137  
target 40, 46  
  setting programmatically 133  
target/action paradigm 41, 169, 183  
technical documentation 56  
testing an interface 35, 75  
text  
  aligning 30  
  color 30  
  editable 30  
  selectable 30  
text field 183, 184  
  attributes 30  
  font of 31  
  formatting 187  
  placing and resizing 28  
  tabbing between 34  
  validation 187  
text object 67, 184  
Text submenu 36  
**textDidChange:** 109  
**textDidEndEditing:** 184  
thread 198  
**tile** 101  
time zone 133  
time, *See* date and time  
timer 122, 168, 196, 198  
  firing 197  
  scheduling 196  
Title object 30  
tools, command-line 221  
tracking-rectangle event 168  
transparency 189  
typing, static and dynamic 211

## U

**unarchiveObjectWithFile:** 108, 144  
unarchiving 86, 124, 144

Unicode 83  
user defaults 150  
**userInfo** dictionary 171

## V

validation, of fields 187  
value object 63, 89  
view hierarchy 27, 152, 153  
view object 27, 127  
    custom 117, 181  
    printing 74  
    removing from superview 187

Views palette 28, 181  
virtual machine (Java) 9  
volume formats 8

## W

window 27, 168  
    attributes 26  
    behavior 36  
    closing 154  
    depth 189  
    events 169  
    key 27  
    locating 144  
    main 27  
    making first responder 156  
    positioning 148  
    resizing 26  
    setting title 144  
    status 146  
**window** 144  
Window Server 27, 168  
**windows** 153  
Windows palette 173, 174  
**windowShouldClose:** 154

## Y

Yap application 220  
Yellow Box 8, 9